

A neuroscience researcher reveals 4 rituals that will make you a happier person

You get all kinds of happiness advice on the internet from people who don't know what they're talking about. Don't trust them.

Actually, don't trust me either. Trust neuroscientists. They study that gray blob in your head all day and have learned a lot about what truly will make you happy.

UCLA neuroscience researcher [Alex Korb](#) has some insights that can create an upward spiral of happiness in your life.

Here's what you and I can learn from the people who really have answers:

1. The most important question to ask when you feel down

Sometimes it doesn't feel like your brain wants you to be happy. You may feel guilty or shameful. Why?

Believe it or not, guilt and shame activate the brain's reward center.

Despite their differences, pride, shame, and guilt all activate similar neural circuits, including the dorsomedial prefrontal cortex, amygdala, insula, and the nucleus accumbens. Interestingly, pride is the most powerful of these emotions at triggering activity in these regions — except in the nucleus accumbens, where guilt and shame win out. This explains why it can be so appealing to heap guilt and shame on ourselves — they're activating the brain's reward center.

And you worry a lot too. Why? In the short term, worrying makes your brain feel a little better — at least you're doing *something* about your problems.

In fact, worrying can help calm the limbic system by increasing activity in the medial prefrontal cortex and decreasing activity in the amygdala. That might seem counterintuitive, but it just goes to show that if you're feeling anxiety, doing something about it — even worrying — is better than doing nothing.

But guilt, shame and worry are horrible long-term solutions. So what do neuroscientists say you should do? Ask yourself this question:

What am I grateful for?

Yeah, [gratitude](#) is awesome ... but does it really affect your brain at the biological level? Yup.

You know what the antidepressant Wellbutrin does? Boosts the neurotransmitter dopamine. So does gratitude.

The benefits of gratitude start with the dopamine system, because feeling grateful activates the brain stem region that produces dopamine. Additionally, gratitude toward others increases activity in social dopamine circuits, which makes social interactions more enjoyable ...

Know what Prozac does? Boosts the neurotransmitter serotonin. So does gratitude.

One powerful effect of gratitude is that it can boost serotonin. Trying to think of things you are grateful for forces you to focus on the positive aspects of your life. This simple act increases serotonin production in the anterior cingulate cortex.

I know, sometimes life lands a really mean punch in the gut and it feels like there's nothing to be grateful for. Guess what?

Doesn't matter. You don't have to find anything. It's the *searching* that counts.

It's not finding gratitude that matters most; it's remembering to look in the first place. Remembering to be grateful is a form of emotional intelligence. One study found that it actually affected neuron density in both the ventromedial and lateral prefrontal cortex. These density changes suggest that as emotional intelligence increases, the neurons in these areas become more efficient. With higher emotional intelligence, it simply takes less effort to be grateful.

And gratitude doesn't just make your brain happy — it can also [create a positive feedback loop](#) in your relationships. So express that gratitude to the people you care about.

But what happens when bad feelings completely overtake you? When you're really in the dumps and don't even know how to deal with it? There's an easy answer ...

Point out the things that upset you.

2. Label negative feelings

You feel awful. Okay, give that awfulness a name. Sad? Anxious? Angry?

Boom. It's that simple. Sound stupid? Your noggin disagrees.

... in one fMRI study, appropriately titled "Putting Feelings into Words" participants viewed pictures of people with emotional facial expressions. Predictably, each participant's amygdala activated to the emotions in the picture. But when they were asked to name the emotion, the ventrolateral prefrontal cortex activated and reduced the emotional amygdala reactivity. In other words, consciously recognizing the emotions reduced their impact.

Suppressing emotions doesn't work and can backfire on you.

Gross found that people who tried to suppress a negative emotional experience failed to do so. While they thought they looked fine outwardly, inwardly their limbic system was just as aroused as without suppression, and in some cases, even more aroused. Kevin Ochsner, at Columbia, repeated these findings using an fMRI. Trying not to feel something doesn't work, and in some cases even backfires.

But labeling, on the other hand, makes a big difference.

To reduce arousal, you need to use just a few words to describe an emotion, and ideally use symbolic language, which means using indirect metaphors, metrics, and simplifications of your experience. This requires you to activate your prefrontal cortex, which reduces the arousal in the limbic system. Here's the bottom line: describe an emotion in just a word or two, and it helps reduce the emotion.

Ancient methods were way ahead of us on this one. [Meditation](#) has employed this for centuries. Labeling is a fundamental tool of [mindfulness](#).

In fact, labeling affects the brain so powerfully it works with other people too. Labeling emotions is one of the primary tools used by [FBI hostage negotiators](#).

Okay, hopefully you're not reading this and labeling your current emotional state as "*Bored*." Maybe you're not feeling awful but you probably have things going on in your life that are causing you some stress. Here's a simple way to beat them...

Make decisions to do things you enjoy.

3. Make that decision

Ever make a decision and then your brain finally feels at rest? That's no random occurrence.

Brain science shows that making decisions reduces worry and anxiety — as well as helping you solve problems.

Making decisions includes creating intentions and setting goals — all three are part of the same neural circuitry and engage the prefrontal cortex in a positive way, reducing worry and anxiety. Making decisions also helps overcome striatum activity, which usually pulls you toward negative impulses and routines. Finally, making decisions changes your perception of the world — finding solutions to your problems and calming the limbic system.

But deciding can be *hard*. I agree. So what kind of decisions should you make? Neuroscience has an answer ...

Make a “good enough” decision. Don’t sweat making the absolute 100% best decision. We all know being a perfectionist can be stressful. And brain studies back this up.

Trying to be perfect overwhelms your brain with emotions and makes you feel out of control.

Trying for the best, instead of good enough, brings too much emotional ventromedial prefrontal activity into the decision-making process. In contrast, recognizing that good enough is good enough activates more dorsolateral prefrontal areas, which helps you feel more in control ...

As Swarthmore professor [Barry Schwartz](#) said in my interview with him: “Good enough is almost always good enough.”

So when you make a decision, your brain feels you have control. And, as I’ve talked about before, [a feeling of control](#) reduces stress. But here’s what’s really fascinating: *Deciding also boosts pleasure.*

Actively choosing caused changes in attention circuits and in how the participants felt about the action, and it increased rewarding dopamine activity.

Want proof? No problem. Let’s talk about cocaine.

You give 2 rats injections of cocaine. Rat A had to pull a lever first. Rat B didn’t have to do anything. Any difference? Yup: rat A gets a bigger boost of dopamine.

So they both got the same injections of cocaine at the same time, but rat A had to actively press the lever, and rat B didn’t have to do anything. And you guessed it — rat A released more dopamine in its nucleus accumbens.

So what’s the lesson here? Next time you buy cocaine... whoops, wrong lesson. Point is, when you make a decision on a goal and then achieve it, you feel better than when good stuff just happens by chance.

And this answers the eternal mystery of why dragging your butt to the gym can be so hard.

If you go because you feel you *have to* or you *should*, well, it’s not really a voluntary decision. Your brain doesn’t get the pleasure boost. It just feels stress. And that’s no way to build a good exercise habit.

Interestingly, if they are forced to exercise, they don’t get the same benefits, because without choice, the exercise itself is a source of stress.

So make more decisions. Neuroscience researcher Alex Korb [sums it up nicely](#):

We don’t just choose the things we like; we also like the things we choose.

(To learn what neuroscientists say is the best way to use caffeine, click [here](#).)

Okay, you're being grateful, labeling negative emotions and making more decisions. Great. But this is feeling kinda lonely for a happiness prescription. Let's get some other people in here.

What's something you can do with others that neuroscience says is a path to mucho happiness? And something that's stupidly simple so you don't get lazy and skip it? Brain docs have an answer for you...

Have fun with friends.

4. Touch people

No, not indiscriminately; that can get you in a lot of trouble.

But we need to feel love and acceptance from others. When we don't it's painful. And I don't mean "awkward" or "disappointing." I mean actually *painful*.

Neuroscientists did a study where people played a ball-tossing video game. The other players tossed the ball to you and you tossed it back to them. Actually, there were no other players; that was all done by the computer program.

But the subjects were told the characters were controlled by real people. So what happened when the "other players" stopped playing nice and didn't share the ball?

Subjects' brains responded the same way as if they experienced *physical pain*. Rejection doesn't just hurt like a broken heart; your brain feels it like a broken leg.

In fact, as demonstrated in an fMRI experiment, social exclusion activates the same circuitry as physical pain ... at one point they stopped sharing, only throwing back and forth to each other, ignoring the participant. This small change was enough to elicit feelings of social exclusion, and it activated the anterior cingulate and insula, just like physical pain would.

Relationships are very important to your brain's feeling of happiness. Want to take that to the next level? Touch people.

One of the primary ways to release oxytocin is through touching. Obviously, it's not always appropriate to touch most people, but small touches like handshakes and pats on the back are usually okay. For people you're close with, make more of an effort to touch more often.

Touching is incredibly powerful. We just don't give it enough credit. It makes you more [persuasive](#), increases [team performance](#), improves your [flirting](#)... heck, it even boosts [math skills](#).

Touching someone you love actually reduces pain. In fact, when studies were done on married couples, the stronger the marriage, the more powerful the effect.

In addition, holding hands with someone can help comfort you and your brain through painful situations. One fMRI study scanned married women as they were warned that they were about to get a small electric shock. While anticipating the painful shocks, the brain showed a predictable pattern of response in pain and worrying circuits, with activation in the insula, anterior cingulate, and dorsolateral prefrontal cortex. During a separate scan, the women either held their husbands' hands or the hand of the experimenter. When a subject held her husband's hand, the threat of shock had a smaller effect. The brain showed reduced activation in both the anterior cingulate cortex and dorsolateral prefrontal cortex — that is, less activity in the pain and worrying circuits. In addition, the stronger the marriage, the lower the discomfort-related insula activity.

So hug someone today. *And do not accept little, quick hugs.* No, no, no. Tell them your neuroscientist recommended long hugs.

A hug, especially a long one, releases a neurotransmitter and hormone oxytocin, which reduces the reactivity of the amygdala.

Research shows [getting five hugs a day for four weeks](#) increases happiness big time.

Don't have anyone to hug right now? No? (I'm sorry to hear that. I would give you a hug right now if I could.) But there's an answer: neuroscience says you should go get a massage.

The results are fairly clear that massage boosts your serotonin by as much as 30 percent. Massage also decreases stress hormones and raises dopamine levels, which helps you create new good habits ... Massage reduces pain because the oxytocin system activates painkilling endorphins. Massage also improves sleep and reduces fatigue by increasing serotonin and dopamine and decreasing the stress hormone cortisol.

So spend time with other people and give some hugs. Sorry, texting is not enough.

When you put people in a stressful situation and then let them visit loved ones or talk to them on the phone, they felt better. What about when they just texted? Their bodies responded the same as if they had no support at all.

... the text-message group had cortisol and oxytocin levels similar to the no-contact group.

Author's note: I totally approve of texting if you make a hug appointment.

(To learn what neuroscience says is the best way to get smarter and happier, click [here](#).)

Okay, I don't want to strain your brain with too much info. Let's round it up and learn the quickest and easiest way to start that upward spiral of neuroscience-inspired happiness...

Sum up

Here's what brain research says will make you happy:

- Ask "What am I grateful for?" No answers? Doesn't matter. Just searching helps.
- Label those negative emotions. Give it a name and your brain isn't so bothered by it.
- Decide. Go for "good enough" instead of "best decision ever made on Earth."
- Hugs, hugs, hugs. Don't text — touch.

So what's the dead simple way to start that upward spiral of happiness?

Just send someone a [thank you email](#). If you feel awkward about it, you can send them this post to tell them why.

This really can start an upward spiral of happiness in your life. UCLA neuroscience researcher [Alex Korb](#) explains:

Everything is interconnected. Gratitude improves sleep. Sleep reduces pain. Reduced pain improves your mood. Improved mood reduces anxiety, which improves focus and planning. Focus and planning help with decision making. Decision making further reduces anxiety and improves enjoyment. Enjoyment gives you more to be grateful for, which keeps that loop of the upward spiral going. Enjoyment also makes it more likely you'll exercise and be social, which, in turn, will make you happier.

So thank you for reading this.

And send that thank you email now to make you and someone you care about very happy.

<http://www.businessinsider.com/a-neuroscience-researcher-reveals-4-rituals-that-will-make-you-a-happier-person-2015-9>